

Hyundai Motor America

3200 Park Center Dr., Costa Mesa, CA 92626
TEL: 714-965-3000 FAX: 714-378-1008
MEDIA WEBSITE: HyundaiNews.com
CORPORATE WEBSITE: Hyundai.com



IIIBIIBAI	2013 Veloster Turbo				
ENGINE					
Туре		Twinscroll Turbocharger, Gamma DOHC D-CVVT (Dual Continuously Variable Valve Timing) GDI (Gasoline Direct Engine)			
Materials		Aluminum block and head			
Displacement		1.6L / 1,591 cc			
Horsepower		201 @ 6000 rpm			
Torque		195 @ 1750~4500 rpm			
Valves per cylinder		4			
Bore & stroke		77.0 X 85.4 (mm)			
Compression Ratio		9.5:1			
TRANSMISSION					
6-speed Manual Transmission (M6CF3-1) Clutch type: Dry single plate with diaphragm 6-Speed Automatic Transmission gate-type, paddle shifters, torque converter					
Gear ratios		MT/AT			
First		3.615/4.639			

Gear ratios	MT/AT		
First	3.615/4.639		
Second	1.962/2.826		
Third	1.294/1.841		
Fourth	0.976/1.386		
Fifth	0.778/1.000		
Sixth	0.633/0.772		
Reverse	3.583/3.385		
Final drive axle	4.467/TBD		
SUSPENSION			
Front	Independent, MacPherson struts with coil springs, gas-filled shock absorbers, and 24mm stabilizer bar		
Rear	Coupled torsion axle with coil springs ,gas-filled hydraulic monotube shock absorbers and V-Beam 23mm stabilizer bar		

STEERING						
Туре	Rack-and-pinion Motor Driven Power Steering (MDPS)					
Overall Ratio	13.9:1					
Turns, lock to lock	2.78					
Turning Diameter (curb to curb)	34.12 ft.					
BRAKES/TIRES/WHEELS						
Front	11.8 in. ventilated discs					
Rear	10.3 in. solid discs					
ABS	4-wheels and 4-channels with Electronic Brake-force Distribution (EBD)					
Tires	Standard: : P215/40VR18 tires					
Wheels	Standard: 18 x 7.5J Alloy w/ chrome inserts					
EXTERIOR DIMENSIONS						
Wheelbase	104.3 in.					
Overall length	167.3 in.					
Overall width	71.1 in.					
Overall height	55.5 in.					
Tread Width (front/rear)	61.3 in. / 61.8 in.					
Minimum Ground Clearance	5.6					
Coefficient of Drag	0.33					
INTERIOR DIMENSIONS						
Head room w/o sunroof						
Front	39.0 in.					
Rear	35.3 in.					
Head room w/ panoramic sunroof						
Front	37.2 in.					
Rear	35.3 in.					
Leg room						
Front	43.9 in.					
Rear	31.7 in.					
Shoulder room						

Front	55.6 in.					
Rear	54.0 in.					
Hip room						
Front	53.2 in.					
Rear	52.6 in.					
VOLUME						
Passenger volume	89.8 cubic ft.					
Cargo (trunk) volume	15.5 cubic ft.					
Total volume	105.3 cubic ft.					
CAPACITIES						
Fuel	13.2 gallons					
CURB WEIGHT						
6-speed M/T	2,800-2,917					
6-speed A/T	2,888-3,005					
FUEL ECONOMY	City	Highway	Combined			
6-speed M/T	27 mpg	38 mpg	31 mpg			
6-speed A/T	TBD	TBD	TBD			